




B2B BusinessALSO Digital Communication Summit 2019



May 7th, 2019 B2B ID Division

LG Overview

LG has long been a trusted partner in various industries.




Founded 7

85,000

Overseas

Employee 222,000+





B2B Company



Project Deal & Integrated Solutions(HEMS, RMS, etc.)

Vertical Sales Group

Information Display

Digital Signage Hotel TV



Energy

Solar(ESS / EMS)





Digital Signage Line Up

- FHD & UHD
- High Brightness
- Video Wall
- Ultra Stretch
- Interactive (Touch Screens)
- Smart TV Signage
- OLED



OLED Line Up

- Transparent Open Frame OLED
- OLED Signage
- Color Transparent LED FILM



Transparent Open Frame OLED





Transparent Open Frame OLED Signage 55EW5F-A

- Full HD; 1,920 × 1,080 Brightness (Typ, panel); 400 cd/m² (APL ¹³ 25%) Transparency (Typ); 39%

 - Depth: 6.6 mm
- Landscape & portrait mode
 Single and tiling design availability







OLED Signage

Wallpaper OLED Signage 65/55EJSE

· Ultra HD: 3,840 × 2,160 (65"), Full HD: 1,920 × 1,080 (55")

Brightness (Typ.): 400 cd/m² (API, 25%)

Deptr 6.0 mm (65"), 4.9 mm (55")
 Landscape & portrait mode

Dedicated wall fixers

· N×N expandability



55EG5CE

Dedicated hanging accessories

· Glass picture effect.



Wallpaper OLED Signage in Glass

Hull HD 1,920 × 1,080
 Brahtness (Typ): 400 ad/m² (APL 25%)

 Depth: 13 mm (Screen with glass) Portrait mode

· Double-sided display



SOGAM

Flexible Curved OLED Signage SSEFSE

Full HD: 1,920 × 1,080

· Brightness (Typ.) 400 cd/m² (APL 25%)

· Depth, 12.4 mm

· Landscape & portrait mode

(Concave, convex up to 1,000R) · Available in various curvatures



Webos

Video Wall OLED Signage 65EV5E

· Ultra HD: 3,840 × 2,160

Brightness (Typ.): 400 cd/m² (APL 25%)

· Depth. 7.9 mm

· Seam (A to A²): 6.7 mm

Portrait mode

1 x N configuration





Color Transparent LED FILM



Color Transparent LED Film LAT240DT1



Pitch: 24 mm
 Inarenttance 73 %
 Brightness > 1,000 cd/m²
 Curvature (Concave): 1,100 R
 Self-adhesive film





| Color Transparent LED FILM

High Transparency

High transparency (73%*) allows glass to remain visible even after attaching the color transparent LED film, with no adverse effects on the original design. Displaying dynamic content as digital signage, it blends into the glass as well





5

* Task transparency is smiler to that off a cast smeditions window.

#8


Curved Format Supported

The transparent LED film supports curved curvatures up to 1,100R concave for curved glass or window applications. This allows a wider range of venues to be redesigned as a landmark.



Full Color Expression

Lis Color Transparent LED film delivers a surprisingly wide range of colors using a 24 mm pitch, while still maintaining a high transparency. Applications are not confined to delivering simple brand logos or pictograms, but can be extended to display an entire video or pictures in which various colors are combined.









THANK YOU

